Application No.: 10/613,977 2 Docket No.: 02309/000N001-US0

## **AMENDMENTS TO THE CLAIMS**

The listing of claims provided below will replace all prior versions, and listings, of claims of this application.

## Listing of Claims:

- 1. (Canceled)
- 2. (Canceled)
- 3. (Currently amended) The A container as set forth in claim 2, said container body having two holes formed therein, said comprising:

  a container body with a receptacle portion for receiving therein a content and an opening at an upper edge thereof, and

a lid body engaged with said container body to close said opening, and at least a pair of wherein two holes are being formed in said container body or lid body;[,]

<u>for each pair of holes, a</u> connecting member <u>extends</u> <u>extending</u> from one of said two holes to the other of said two holes across said receptacle portion;[,] and

two toy members are being secured on respective ends of said connecting member extending from respective of two holes.

- 4. (Currently amended) The container as set forth in claim 2 3, wherein said hole is holes are provided at a position above said receptacle portion and above said content received in said receptacle portion.
- 5. (Canceled)

Application No.: 10/613,977 3 Docket No.: 02309/000N001-US0

- 6. (Canceled)
- 7. (Currently amended) The container as set forth in claim 6, wherein said outer surface is drawn pictures, A container comprising:

a container body with a receptacle portion for receiving therein a content and an opening at an upper edge thereof;

a lid body engaged with said container body to close said opening; a sliding member; and

a pair of parallel rail portions provided on an outer surface of said container body or lid body, said sliding member being slidably mounted between said rail portions,

wherein pictures are provided on said outer surface and said sliding member is movable in front of said pictures.

- 8. (Canceled)
- 9. (Canceled)
- 10. (Currently Amended) The container as set forth in claim 8, wherein A container comprising:

a container body with a receptacle portion for receiving therein a content and an opening at an upper edge thereof;

a lid body engaged with said container body to close said opening; and a handle member whose both ends are pivotably connected to said container body,

wherein a dispensing opening for removing said content is formed in an upper surface of said lid body, a small lid flap is provided on the upper surface of said lid body for opening and closing said dispensing opening, and

said handle member is positioned so as <u>not</u> to <del>not</del> interfere with said small lid flap in open position, when said handle member is pivoted to a position above said lid body.

- 11. (Canceled)
- 12. (Canceled)
- 13. (Canceled)
- 14. (Canceled)
- 15. (Canceled)
- 16. (Canceled)
- 17. (Canceled)
- 18. (Canceled)
- 19. (Canceled)
- 20. (Canceled)